


Moerkappen + onderlegging bescherming - anti corrosie


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Tot. hoogte inw. (mm)	M	UNC	H1 (mm)	H2 (mm)	Ring-dikte (mm)	Ø Ring (mm)
SW7R-5	5	M4			5	0.8	9.0
SW8R-6	6	M5			6	1.0	10.0
SW10R-7	7	M6			7	1.6	12.0
SW10R-13	13	M6			13	1.6	12.0
SW10R-18	18	M6			18	1.6	12.0
SW11R-13	13				13	1.4	14.7
SW13R-10	10	M8	1/4"		10	1.6	16.0
SW13R-14	14	M8	1/4"		14	1.6	16.0
SW13R-19	19	M8	1/4"		19	1.6	16.0
SW13R-29	29	M8	1/4"		29	1.6	16.0
SW17R-12	12	M10	3/8"		12	2.0	20.0
SW17R-17	17	M10	3/8"		17	2.0	20.0
SW17R-47	47	M10	3/8"		47	2.0	20.0
SW19R-15	15	M12	7/16"		15	2.5	40.0
SW19R-20	20	M12	7/16"		20	2.5	40.0
SW19R-25	25	M12	7/16"		25	2.5	40.0

Moerkappen + onderlegging bescherming - anti corrosie


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Tot. hoogte inw. (mm)	M	UNC	H1 (mm)	H2 (mm)	Ring-dikte (mm)	Ø Ring (mm)
SW19R-40	40	M12	7/16"		40	2.5	40.0
SW22R-22	22	M14	1/2"		22	2.5	28.0
SW22R-37	37	M14	1/2"		37	2.5	28.0
SW22R-48T	48 telescopic	M14	1/2"	15	37	2.5	28.0
SW22R-53T	53 telescopic	M14	1/2"	20	37	2.5	28.0
SW22R-57T	57 telescopic	M14	1/2"	24	37	2.5	28.0
SW24R-19	19	M16	9/16"		19	3.0	30.0
SW24R-24	24	M16	9/16"		24	3.0	30.0
SW24R-29	29	M16	9/16"		29	3.0	30.0
SW24R-34	34	M16	9/16"		34	3.0	30.0
SW24R-54	54	M16	9/16"		54	3.0	30.0
SW24R-69	69	M16	9/16"		69	3.0	30.0
SW24R-73T	73 telescopic	M16	9/16"	24	54	3.0	30.0
SW24R-85T	85 telescopic	M16	9/16"	20	69	3.0	30.0
SW24R-89T	89 telescopic	M16	9/16"	24	69	3.0	30.0
SW27R-26	26	M18	5/8"		44	3.0	34.0

Moerkappen + onderlegging bescherming - anti corrosie


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Tot. hoogte inw. (mm)	M	UNC	H1 (mm)	H2 (mm)	Ring-dikte (mm)	Ø Ring (mm)
SW27R-44T	44 telescopic	M18	5/8"	22	26	3.0	34.0
SW27R-49T	49 telescopic	M18	5/8"	27	26	3.0	34.0
SW27R-72T	72 telescopic	M18	5/8"	50	26	3.0	34.0
SW30R-25	25	M20			25	3.0	37.0
SW30R-30	30	M20			30	3.0	37.0
SW30R-37	37	M20			37	3.0	37.0
SW30R-40	40	M20			40	3.0	37.0
SW30R-52	52	M20			52	3.0	37.0
SW30R-70T	70 telescopic	M20		35	37	3.0	37.0
SW30R-82	82	M20			82	3.0	37.0
SW30R-95T	95 telescopic	M20		64	37	3.0	37.0
SW30R-102T	102 telescopic	M20		24	82	3.0	37.0
SW30R-112T	112 telescopic	M20		35	82	3.0	37.0
SW30R-115T	115 telescopic	M20		64	52	3.0	37.0
SW32R-40	40	M22	3/4"		40	3.0	39.0
SW32R-73T	73 telescopic	M22	3/4"	35	40	3.0	39.0

Moerkappen + onderlegging bescherming - anti corrosie


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Tot. hoogte inw. (mm)	M	UNC	H1 (mm)	H2 (mm)	Ring-dikte (mm)	Ø Ring (mm)
SW32R-98T	98 telescopic	M22	3/4"	64	40	3.0	39.0
SW36R-32	32	M24	7/8"		32	4.0	44.0
SW36R-42	42	M24	7/8"		42	4.0	44.0
SW36R-56	56	M24	7/8"		56	4.0	44.0
SW36R-77	77	M24	7/8"		77	4.0	44.0
SW36R-83T	83 telescopic	M24	7/8"	31	56	4.0	44.0
SW36R-102T	102 telescopic	M24	7/8"	31	77	4.0	44.0
SW36R-103T	103 telescopic	M24	7/8"	51	56	4.0	44.0
SW36R-120	120	M24	7/8"		120	4.0	44.0
SW36R-121T	121 telescopic	M24	7/8"	51	77	4.0	44.0
SW36R-138T	138 telescopic	M24	7/8"	69	77	4.0	44.0
SW41R-35	35	M27	1"		35	4.0	50.0
SW41R-45	45	M27	1"		45	4.0	50.0
SW41R-70T	70 telescopic	M27	1"	30	45	4.0	50.0
SW41R-80	80	M27	1"		80	4.0	50.0
SW41R-105T	105 telescopic	M27	1"	30	80	4.0	50.0

Moerkappen + onderlegging bescherming - anti corrosie


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Tot. hoogte inw. (mm)	M	UNC	H1 (mm)	H2 (mm)	Ring-dikte (mm)	Ø Ring (mm)
SW46R-38	38	M30	1.1/8"		38	4.0	56.0
SW46R-53	53	M30	1.1/8"		53	4.0	56.0
SW46R-83	83	M30	1.1/8"		83	4.0	56.0
SW46R-87T	87 telescopic	M30	1.1/8"	39	53	4.0	56.0
SW46R-96T	96 telescopic	M30	1.1/8"	47	53	4.0	56.0
SW46R-115T	115 telescopic	M30	1.1/8"	39	83	4.0	56.0
SW46R-124T	124 telescopic	M30	1.1/8"	47	83	4.0	56.0
SW46R-155T	155 telescopic	M30	1.1/8"	79	83	4.0	56.0
SW50R-41	41	M33	1.1/4"		41	5.0	60.0
SW50R-56	56	M33	1.1/4"		56	5.0	60.0
SW50R-86	86	M33	1.1/4"		86	5.0	60.0
SW50R-88T	88 telescopic	M33	1.1/4"	37	56	5.0	60.0
SW50R-116T	116 telescopic	M33	1.1/4"	37	86	5.0	60.0
SW50R-195T	195 telescopic	M33	1.1/4"	120	86	5.0	60.0
SW55R-60	60	M36	1.3/8"		60	5.0	66.0
SW55R-90	90	M36	1.3/8"		90	5.0	66.0

Moerkappen + onderlegging bescherming - anti corrosie


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Tot. hoogte inw. (mm)	M	UNC	H1 (mm)	H2 (mm)	Ring-dikte (mm)	Ø Ring (mm)
SW55R-97T	97 telescopic	M36	1.3/8"	43	60	5.0	66.0
SW55R-125T	125 telescopic	M36	1.3/8"	43	90	5.0	66.0
SW55R-126T	126 telescopic	M36	1.3/8"	73	60	5.0	66.0
SW55R-154T	154 telescopic	M36	1.3/8"	73	90	5.0	66.0
SW55R-160	160	M36	1.3/8"		160	5.0	66.0
SW55R-200T	200 telescopic	M36	1.3/8"	52	160	5.0	66.0
SW55R-221T	221 telescopic	M36	1.3/8"	73	160	5.0	66.0
SW60R-63	63	M39	1.1/2"		63	6.0	72.0
SW60R-93	93	M39	1.1/2"		93	6.0	72.0
SW60R-130T	130 telescopic	M39	1.1/2"	76	63	6.0	72.0
SW60R-160T	160 telescopic	M39	1.1/2"	76	93	6.0	72.0
SW70R-70	70	M45	1.3/4"		70	7.0	88.0
SW70R-100	100	M45	1.3/4"		100	7.0	88.0
SW70R-112T	112 telescopic	M45	1.3/4"	79	70	7.0	88.0
SW70R-140	140	M45	1.3/4"		140	7.0	88.0
SW70R-141T	141 telescopic	M45	1.3/4"	79	70	7.0	88.0

Moerkappen + onderlegging bescherming - anti corrosie


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Tot. hoogte inw. (mm)	M	UNC	H1 (mm)	H2 (mm)	Ring-dikte (mm)	Ø Ring (mm)
SW70R-142T	142 telescopic	M45	1.3/4"	49	100	7.0	88.0
SW70R-171T	171 telescopic	M45	1.3/4"	79	100	7.0	88.0
SW70R-182T	182 telescopic	M45	1.3/4"	49	140	7.0	88.0
SW70R-211T	211 telescopic	M45	1.3/4"	79	140	7.0	88.0
SW75R-74	74	M48	1.7/8"		74	8.0	92.0
SW75R-103	103	M48	1.7/8"		103	8.0	92.0
SW75R-116	116	M48	1.7/8"		116	8.0	92.0
SW75R-116T	116 telescopic	M48	1.7/8"	49	74	8.0	92.0
SW75R-143T	143 telescopic	M48	1.7/8"	49	103	8.0	92.0
SW75R-145T	145 telescopic	M48	1.7/8"	79	74	8.0	92.0
SW75R-172T	172 telescopic	M48	1.7/8"	79	103	8.0	92.0
SW80R-139	139	M52	2"		139	8.0	98.0
SW80R-175T	175 telescopic	M52	2"	51	139	8.0	98.0
SW80R-205T	205 telescopic	M52	2"	81	39	8.0	98.0
SW85R-83	83	M56			83	9.0	105.0
SW85R-130T	130 telescopic	M56		55	83	9.0	105.0

Moerkappen + onderlegging bescherming - anti corrosie


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Tot. hoogte inw. (mm)	M	UNC	H1 (mm)	H2 (mm)	Ring-dikte (mm)	Ø Ring (mm)
SW85R-158T	158 telescopic	M56		85	83	9.0	105.0
SW90R-83	83	M60	2.1/4"		83	9.0	110.0
SW90R-125T	125 telescopic	M60	2.1/4"	57	83	9.0	110.0
SW90R-155T	155 telescopic	M60	2.1/4"	87	83	9.0	110.0
SW95R-140	140	M64			140	9.0	115.0
SW95R-181T	181 telescopic	M64		61	140	9.0	115.0
SW95R-211T	211 telescopic	M64		91	140	9.0	115.0
SW100R-150	150	M68	2.1/2"		150	10.0	120.0
SW100R-193T	193 telescopic	M68	2.1/2"	63	150	10.0	120.0
SW100R-223T	223 telescopic	M68	2.1/2"	93	150	10.0	120.0
SW105R-160	160	M72			160	10.0	125.0
SW105R-206T	206 telescopic	M72		66	160	10.0	125.0
SW105R-236T	236 telescopic	M72		96	160	10.0	125.0
SW107R-105	105	M76	2.3/4"		105	11.0	137.0
SW107R-156T	156 telescopic	M76	2.3/4"	70	105	11.0	137.0
SW107R-226T	226 telescopic	M76	2.3/4"	130	105	11.0	137.0

Moerkappen + onderlegring bescherming - anti corrosie

Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Tot. hoogte inw. (mm)	M	UNC	H1 (mm)	H2 (mm)	Ring-dikte (mm)	Ø Ring (mm)
SW117R-115	115	M85	3"		115	15.0	149.0
SW117R-173T	173 telescopic	M85	3"	78	115	15.0	149.0
SW117R-235T	235 telescopic	M85	3"	140	115	15.0	149.0
SW130R-125	125	M90	3.1/4"		125	15.0	159.0
SW130R-181T	181 telescopic	M90	3.1/4"	86	125	15.0	159.0
SW130R-238T	238 telescopic	M90	3.1/4"	143	125	15.0	159.0



Toepassingen:

Afwerking bescherming en conservering moer/kop + onderlegring