


Speciale moerkappen - anti corrosie - vandalisme - afwerking


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW5,5-7	5,5	M3		7	8,8
SW7-4	7	M4		4	11
SW8-5	8	M5		5	12.0
SW8-10	8	M5		10	12.0
SW10,5-6FK	10,5 (DIN84)	M5		6	15
SW10,6-6FK	10,6 (DIN85)	M6		6	15
SW10-6	10	M6		6	15.0
SW10-11	10	M6		11	15.0
SW10-16	10	M6		16	15.0
SW10-34	10	M6		34	15.0
SW12-7	12	M7		7	17.7
SW13-8	13	M8	1/4"	8	18.5
SW13-13	13	M8	1/4"	13	18.5
SW13-18	13	M8	1/4"	18	18.5
SW13-27		M8	1/4"	27	18.5
SW14-13		M8	5/16	13	20.20

Speciale moerkappen - anti corrosie - vandalisme - afwerking


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW14-27T*	14	M8	5/16	27 telescopisch	20.20
SW16-10	16	M10		10	23.5
SW16-29	16	M10		29	23.5
SW17-10	17	M10	3/8"	10	23.5
SW17-15	17	M10	3/8"	15	23.5
SW17-20	17	M10	3/8"	20	23.5
SW17-24	17	M10	3/8"	24	23.5
SW17-29	17	M10	3/8"	29	23.5
SW17-45	17	M10	3/8"	45	23.5
SW18-22	18	M12	7/16"	22	26.1
SW19-12	19	M12	7/16"	12	26.1
SW19-17	19	M12	7/16"	17	26.1
SW19-22	19	M12	7/16"	22	26.1
SW19-27	19	M12	7/16"	27	26.1
SW19-37	19	M12	7/16"	37	26.1
SW19-50	19	M12	7/16"	50	26.1

Speciale moerkappen - anti corrosie - vandalisme - afwerking


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW19-74T	19	M12	7/16"	74	26.1
SW22-11	22	M14	1/2"	11	29.0
SW22-24	22	M14	1/2"	24	30.3
SW22-35	22	M14	1/2"	35	30.3
SW22-40T*	22	M14	1/2"	40	30.3
SW22-44T*	22	M14	1/2"	44	30.3
SW22-51T	22	M14	1/2"	51	30.3
SW22-60T	22	M14	1/2"	60	30.3
SW22-64	22	M14	1/2"	64	30.3
SW22-77T	22	M14	1/2"	77	30.3
SW22-87T	22	M14	1/2"	87	30.3
SW24-11	24	M16	9/16"	11	32.3
SW24-21	24	M16	9/16"	21	32.3
SW24-26	24	M16	9/16"	26	32.3
SW24-31	24	M16	9/16"	31	32.3
SW24-41	24	M16	9/16"	41	32.3

Speciale moerkappen - anti corrosie - vandalisme - afwerking


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW24-41T*	24	M16	9/16"	41	32.3
SW24-51	24	M16	9/16"	51	32.3
SW24-62T*	24	M16	9/16"	62	32.3
SW24-66T	24	M16	9/16"	66	32.3
SW24-70T	24	M16	9/16"	70	32.3
SW24-87T	24	M16	9/16"	87	32.3
SW27-23	27	M18	5/8"	23	36.9
SW27-30	27	M18	5/8"	30	36.9
SW27-38	27	M18	5/8"	38	36.9
SW27-48T*	27	M18	5/8"	48	36.9
SW27-53T*	27	M18	5/8"	53	36.9
SW27-63T*	27	M18	5/8"	63	36.9
SW27-76T*	27	M18	5/8"	76	36.9
SW27-84T	27	M18	5/8"	84	36.9
SW30-14	30	M20		14	40.4
SW30-24	30	M20		24	40.4

Speciale moerkappen - anti corrosie - vandalisme - afwerking


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW30-28	30	M20		28	40.4
SW30-34	30	M20		34	40.4
SW30-39	30	M20		39	40.4
SW30-47	30	M20		47	40.4
SW30-67T*	30	M20		67	40.4
SW30-79	30	M20		79	40.4
SW30-90T	30	M20		90	40.4
SW30-92T*	30	M20		92	40.4
SW30-109T	30	M20		109	40.4
SW30-120	30	M20		120	40.4
SW30-175T	30	M20		175	40.4
SW32-27	32	M22	3/4"	27	42.1
SW32-37	32	M22	3/4"	37	42.1
SW32-72	32	M22	3/4"	72	42.1
SW32-95T*	32	M22	3/4"	95	42.1
SW32-103T	32	M22	3/4"	103	42.1

Speciale moerkappen - anti corrosie - vandalisme - afwerking


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW32-128T	32	M22	3/4"	128	42.1
SW36-28	36	M24	7/8"	28	47.2
SW36-33	36	M24	7/8"	33	47.2
SW36-38	36	M24	7/8"	38	47.2
SW36-43	36	M24	7/8"	43	47.2
SW36-52	36	M24	7/8"	52	47.2
SW36-69T	36	M24	7/8"	69	47.2
SW36-73	36	M24	7/8"	73	47.2
SW36-88T	36	M24	7/8"	88	47.2
SW36-98T	36	M24	7/8"	98	47.2
SW36-117T	36	M24	7/8"	117	47.2
SW36-145T	36	M24	7/8"	145	47.2
SW41-31	41	M27	1"	31	53.4
SW41-41	41	M27	1"	41	53.4
SW41-46	41	M27	1"	46	53.4
SW41-51	41	M27	1"	51	53.4

Speciale moerkappen - anti corrosie - vandalisme - afwerking


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW41-66T*	41	M27	1"	66	53.4
SW41-69T*	41	M27	1"	69	53.4
SW41-76	41	M27	1"	76	53.4
SW41-98T	41	M27	1"	98	53.4
SW41-101T	41	M27	1"	101	53.4
SW41-115T	41	M27	1"	115	53.4
SW41-150T	41	M27	1"	150	53.4
SW41-191T	41	M27	1"	191	53.4
SW46-34	46	M30	1-1/8"	34	59.5
SW46-44	46	M30	1-1/8"	44	59.5
SW46-49	46	M30	1-1/8"	49	59.5
SW46-79	46	M30	1-1/8"	79	59.5
SW46-83T*	46	M30	1-1/8"	83	59.5
SW46-92T*	46	M30	1-1/8"	92	59.5
SW46-112T	46	M30	1-1/8"	112	59.5
SW46-121T	46	M30	1-1/8"	121	59.5

Speciale moerkappen - anti corrosie - vandalisme - afwerking


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW46-144	46	M30	1-1/8"	144	59.5
SW46-150T	46	M30	1-1/8"	150	59.5
SW46-185T	46	M30	1-1/8"	185	59.5
SW46-190T	46	M30	1-1/8"	190	59.5
SW46-221T	46	M30	1-1/8"	221	59.5
SW46-256T	46	M30	1-1/8"	256	59.5
SW50-51	50	M33	1-1/4"	51	64.2
SW50-81	50	M33	1-1/4"	81	64.2
SW50-83T*	50	M33	1-1/4"	83	64.2
SW50-111T	50	M33	1-1/4"	111	64.2
SW50-115T*	50	M33	1-1/4"	115	64.2
SW50-144T	50	M33	1-1/4"	144	64.2
SW50-190T	50	M33	1-1/4"	190	64.2
SW55-55	55	M36	1-3/8"	55	70.2
SW55-85	55	M36	1-3/8"	85	70.2
SW55-92T*	55	M36	1-3/8"	92	70.2

Speciale moerkappen - anti corrosie - vandalisme - afwerking


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW55-101T*	55	M36	1-3/8"	101	70.2
SW55-120T	55	M36	1-3/8"	120	70.2
SW55-121T*	55	M36	1-3/8"	121	70.2
SW55-149T	55	M36	1-3/8"	149	70.2
SW55-155	55	M36	1-3/8"	155	70.2
SW55-192T	55	M36	1-3/8"	192	70.2
SW55-201T	55	M36	1-3/8"	201	70.2
SW55-225T	55	M36	1-3/8"	225	70.2
SW55-264T	55	M36	1-3/8"	264	70.2
SW60-57	60	M39	1-1/2"	57	78.6
SW60-87	60	M39	1-1/2"	87	78.6
SW60-97T*	60	M36	1-1/2"	97	78.6
SW60-107	60	M39	1-1/2"	107	78.6
SW60-125T	60	M39	1-1/2"	125	78.6
SW60-126T*	60	M39	1-1/2"	126	78.6
SW60-139T	60	M39	1-1/2"	139	78.6

Speciale moerkappen - anti corrosie - vandalisme - afwerking


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW60-154T	60	M39	1-1/2"	154	78.6
SW60-174T	60	M39	1-1/2"	174	78.6
SW60-220T	60	M39	1-1/2"	220	78.6
SW60-240T	60	M39	1-1/2"	240	78.6
SW65-61	65	M42	1-5/8"	61	84.8
SW65-91	65	M42	1-5/8"	91	84.8
SW65-100T*	65	M42	1-5/8"	100	84.8
SW65-123	65	M42	1-5/8"	123	84.8
SW65-128T*	65	M42	1-5/8"	128	84.8
SW65-129T	65	M42	1-5/8"	129	84.8
SW65-145	65	M42	1-5/8"	145	94.0
SW65-158T	65	M42	1-5/8"	158	84.8
SW65-191T	65	M42	1-5/8"	191	84.8
SW65-257T	65	M42	1-5/8"	257	84.8
SW70-63	70	M45	1-3/4"	63	90.9
SW70-93	70	M45	1-3/4"	93	90.9

Speciale moerkappen - anti corrosie - vandalisme - afwerking


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW70-105T*	70	M45	1-3/4"	105	90.9
SW70-133	70	M45	1-3/4"	133	90.9
SW70-133T*	70	M45	1-3/4"	133	90.9
SW70-134T	70	M45	1-3/4"	134	90.9
SW70-163T	70	M45	1-3/4"	163	90.9
SW75-66	75	M48	1-7/8"	66	97.0
SW75-96	75	M48	1-7/8"	96	97.0
SW75-108T*	75	M48	1-7/8"	108	97.0
SW75-137T*	75	M48	1-7/8"	137	97.0
SW75-138T	75	M48	1-7/8"	138	97.0
SW75-166T	75	M48	1-7/8"	166	97.0
SW75-200T*	75	M48	1-7/8"	200	97.0
SW75-230T	75	M48	1-7/8"	230	97.0
SW80-70	80	M52	2"	70	105.0
SW80-114T*	80	M52	2"	114	105.0
SW80-130	80	M52	2"	130	105.0

Speciale moerkappen - anti corrosie - vandalisme - afwerking


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW80-142T*	80	M52	2"	142	105.0
SW80-171T	80	M52	2"	171	105.0
SW80-201T	80	M52	2"	201	105.0
SW80-275T	80	M52	2"	275	105.0
SW85-74	85	M56		74	109.0
SW85-122T*	85	M56		122	109.0
SW85-134	85	M56		134	109.0
SW85-150T	85	M56		150	109.0
SW85-179T	85	M56		179	109.0
SW85-209T	85	M56		209	109.0
SW90-78	90	M60	2-1/4"	78	120.0
SW90-128T*	90	M60	2-1/4"	128	120.0
SW90-140	90	M60	2-1/4"	140	120.0
SW90-156T*	90	M60	2-1/4"	156	120.0
SW90-182T	90	M60	2-1/4"	182	120.0
SW90-212T	90	M60	2-1/4"	212	120.0

Speciale moerkappen - anti corrosie - vandalisme - afwerking


Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW95-86	95	M64		86	122.0
SW95-140T*	95	M64		140	122.0
SW95-143	95	M64		143	122.0
SW95-169T*	95	M64		169	122.0
SW95-189T	95	M64		189	122.0
SW95-219T	95	M64		219	122.0
SW100-90	100	M68	2-1/2"	90	125.0
SW100-144T*	100	M68	2-1/2"	144	125.0
SW100-173T*	100	M68	2-1/2"	173	125.0
SW100-213T*	100	M68	2-1/2"	223	125.0
SW105-90	105	M72		90	135.0
SW105-147T*	105	M72		147	135.0
SW105-150	105	M72		150	135.0
SW105-176T*	105	M72		176	135.0
SW105-204T	105	M72		204	135.0
SW105-233T	105	M72		233	135.0

Speciale moerkappen - anti corrosie - vandalisme - afwerking

Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Artikelnummer	Sleutelwijdte SW (mm)	Metrisch	UNC	Max.hoogte a (mm)	Ø b (mm)
SW105-270T	105	M72		270	135.0
SW107-95	107	M76	2-3/4"	95	137.0
SW107-145T*	107	M76	2-3/4"	145	137.0
SW107-205T*	107	M76	2-3/4"	205	137.0
SW115-60	115	M80		60	152.0
SW115-214T	115	M80		214	152.0
SW115-274T	115	M80		274	152.0
SW117-100	117	M85	3"	100	155.0
SW117-158T*	117	M85	3"	158	155.0
SW117-220T*	117	M85	3"	220	155.0
SW130-100	130	M90	3-1/4"	100	173.0
SW130-166T*	130	M90	3-1/4"	166	173.0
SW130-223T*	130	M90	3-1/4"	223	173.0
SW135-145	135		3-1/2"	145	178.0
SW135-205T*	135		3-1/2"	205	178.0
SW135-265T*	135		3-1/2"	265	178.0

Speciale moerkappen - anti corrosie - vandalisme - afwerking

Polyethyleen LD-PE | zwart standaard - alle RAL-kleuren mogelijk op aanvraag



Toepassingen:

Afwerking bescherming en conservering van boutkop en moer